



400_Stylish design & functionalities



doorson

400_



Product line 400 is stylish designed interior automatic sliding doors. Slim door lines, colors and decor create a modern, elegant and luxurious product.

An attractive 6 cm slim drive with three different leaf solutions and a wide range of premium materials presents a complete story of perfection. It is the right match for any interior, creating a unique and modern space.

The built-in sensor provides a safe and comfortable access for everyone. In sleep mode, their energy consumption is less than 0.5 W, making them up to 70 % more energy efficient, saving electricity and reducing $\rm CO^2$ emissions.

Product line 400 – a perfect blend of smart contemporary design and high-tech functionalities. Protected by patent and European 3D model. The product declares according to CE certification and meets EN 16005 and EN 16361 standards.









388,11 80,32

saving energy and reducing CO²



6 CM drive height built-in sensor for pedestrian safety

< 0.5 \vee power consumption



Provide a comfortable, safe and secure access for everybody.



The easiest way to control your door from anywhere and anytime.



Warnings and errors description.



Doors are connected to the cloud. Solve your problem remotely.



Door controller is CAN connected with sensors, switches and smart devices.



Advanced security becomes possible with advanced technology. Your safety is our highest priority.

400 thales | frameless sliding door

Transparent purity

Frameless single glass door leaf offers a simple style that can integrate into any interior and is practically invisible. It is perfect for glass wall partition spaces, where architecture transparency creates the illusion of a bright and open space, even when the door is closed.

You can choose between different glass colors and integrate them into every architectural composition, thus creating a distinguished personal view.

Clean, simple and transparent solution with a single sliding door.




1 leaf: frame opening width 700 - 1100 mm frame opening height 1900 - 2500 mm * COW = FW - 65 mm

frameless 10 mm single ESG tempered safety glass









400 fusion | glass sliding door

Beautifully distinct

Fusion is your first choice when you want to express an elegant, modern look. The combination of aluminium frame with double glass gives the door an individual character like no other. Perfect for offices, hotels, management or any other premium space where you want to combine luxury access with a stylish design.

Use your imagination, create impressive designs that inspire. Fusion is an individual selection for architectural solutions. Slim design, modern glass colors, anodized surface treatment and decoration make the door truly stand out.



1 leaf: frame opening width 700 - 1100 mm frame opening height 1900 - 2500 mm * COW = FW - 65 mm

aluminum framed double glass leaf, 4 mm ESG tempered safety glass, 30 mm thickness









400 timber | wood sliding door

Natural touch

The aluminium framed wooden door, composed from a panel leaf creates a natural, authentic view that gives your office, hotel room, lobby or your home a unique appearance.

Timber perfectly integrates into wooden walls and other interesting architectural compositions, which makes the drive invisible.

Bring nature and warmness into a space. Slim wooden profiles express an esthetic design.

Wood pattern range completes the architectural creation. You can use the same tape from your band ages furniture.



1 leaf: frame opening width 700 - 1100 mm frame opening height 1900 - 2500 mm * COW = FW - 65 mm

aluminum framed wooden panel leaf, 30 mm thickness









Customize your door

Make it right, make it simple



Technical data | 400 product line

| USE | interior |
|-------------------------|--|
| DRIVE | height 60 mm |
| WEIGHT | max. 65 kg per sliding leaf |
| OPENING - CLOSING SPEED | 0.3 - 0.7 m/s (adjustable) |
| OPENING TIME | 0 - 15 s (adjustable) |
| POWER CONSUMPTION | max 300 W/230 V; < 0.5W power consumption in sleeping mode |
| INSTALLATION | wall installation |
| PROFILE COLOR | anodized aluminium: Rf shiny, natural, brushed champagne |
| GLASS COLOR | different color options from doorson collection |
| WOOD PATTERN | different wood pattern options from doorson collection |
| DECOR BAND | a variety of options to decorate the handle and drive with wood or color pattern from doorson collection |
| DOOR OPENING | sensor, push & go, smartphone, switches, access control |
| FUNCTIONALITY | switching between different door regimes: OPEN, CLOSE, STOP, AUTO-SUMMER, AUTO-WINTER, ONE WAY-SUMMER, ONE WAY-WINTER warning diagnosis by COM20 |
| ENERGY SAVING: | ✓ |
| STANDARDS: | EN 16005, EN 16361 |



